



1 / 24

FIG. 1




FIG.2




FIG.3

55

600DPI BINARY DATA	600DPI MULTI-VALUE DATA	FIRST CORRECTION DATA
X1 Y1	X2 Y2	X21 Y21
	<img alt="Multi-value	

FIG.4




FIG.5(A)





FIG.5(B)



1

**STORE  
600DPI BINARY CHARACTER  
SHAPE DATA**

600DPI

FIG.6



**FIG.7(A)****FIG.7(B)**

CREATE  
300DPI CHARACTER DATA




FIG.8(A)





FIG.8(B)



OVERWRITE WITH  
300DPI GRAPHICS DATA  
(8-BIT MULTI-VALUE DATA)




FIG.9(A)





FIG.9(B)



OVERWRITE WITH  
300DPI GRAPHICS DATA  
(8-BIT MULTI-VALUE DATA)




FIG.10(A)





FIG.10(B)

A downward-pointing arrow with a horizontal bar at the top, indicating a continuation or next step.


**OVERWRITE WITH  
600DPI BINARY CHARACTER  
SHAPE DATA**

600DPI


**FIG.11(A)**




**FIG.11(B)**




CREATE  
300DPI CHARACTER DATA



**FIG.12(A)**



**FIG.12(B)**



OVERWRITE WITH  
300DPI GRAPHICS DATA  
(8-BIT MULTI-VALUE DATA)




FIG.13(A)








FIG.13(B)



CONVERT INTO  
600DPI MULTI-VALUE DATA





+

FIRST  
CORRECTION  
PROCESS





FIG.15(A)







FIG.15(B)




SECOND CORRECTION PROCESS



**FIG.16(A)**



**FIG.16(B)**



300DPI GRAPHICS DATA  
(8-BIT MULTI-VALUE DATA)




FIG.17(A)





FIG.17(B)



STORE  
600DPI BINARY CHARACTER  
SHAPE DATA.

600DPI

0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0
0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0
0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0	0
0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0	0
0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	0
0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1
0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1
0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1
0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1
0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

43D

FIG.18(A)





FIG.18(B)



CREATE  
300DPI CHARACTER DATA




FIG.19(A)





FIG.19(B)



OVERWRITE WITH  
300DPI GRAPHICS DATA  
(8-BIT MULTI-VALUE DATA)




FIG.20(A)






FIG.20(B)



CONVERT INTO  
600DPI MULTI-VALUE DATA







FIG.22(A)







FIG.22(B)




SECOND CORRECTION PROCESS




**FIG.23(A)**



**FIG.23(B)**



**FIG.24(A)**



**FIG.24(B)**

